

CSC252 – UNIX

BASH SCRIPTS



Lisa Frye, Instructor
Kutztown University
frye@kutztown.edu

STARTUP FILES

- `/etc/profile`
 - `.bash_profile`
 - `.bash_login`
 - `.profile`
 - `.bashrc` (interactive nonlogin shell)
-
- `source` command

SCRIPTS

- Must be executable
- `#!<shell>`
- `#` comments

VARIABLES

- Variable name
- Assignment
- Display
- \$

- List variables (arrays)
 - Declare statement
 - `${name[*]}` or `${name[@]}`
 - `${#name[*]}` or `${#name[@]}`

- `unset`

QUOTES

- Single quote `'`
- Double quote `"`
- Backslash `\`
- Back quote ```

ALIASES

- `alias`
- `unalias`

- Quotes in aliases

EXPRESSIONS

- Arithmetic
 - Double parenthesis
 - Can drop \$ in variable names
- Operators
 - Arithmetic
 - Relational
 - String comparison
 - -n
 - -z

STATEMENTS

- **if / if-else / elif**
- **test**
- **case**
- **for**
- **while**
- **until**
- **break**
- **continue**
- **select**

POSITIONAL PARAMETERS

- Command-line arguments
- shift

 \$# 	Number of positional parameters
 \$\$ 	PID
 \$? 	Exit status of most recently executed command
 \$0 	Program name
 \$1 - \$n 	Positional parameters
 \$* 	All positional parameters
 @\$ 	All positional parameters

FUNCTIONS

- Definition
- Arguments
- return
- export

BUILTIN COMMANDS

- `type`
- `read`
- `exec`
- `trap`