Linear Algebra

CSC 548, Artificial Intelligence II

### Matrix

- **Definition:** A *matrix* is a rectangular array of numbers
- A matrix with m rows and n columns is called an  $m \times n$  matrix
- The plural of matrix is *matrices*
- A matrix with the same number of rows and columns is called *square*
- Two matrices are equal if they have the same number of rows and columns and the corresponding entries in every position are equal

### Notation

■ Let *m* and *n* be positive integers and let

$$A = \begin{bmatrix} a_{11} & a_{12} & \dots & a_{1n} \\ a_{21} & a_{22} & \dots & a_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{m1} & a_{m2} & \dots & a_{mn} \end{bmatrix}$$

- The *i*th row of A is the  $1 \times n$  matrix  $[a_{i1}, a_{i2}, \dots, a_{in}]$
- The *j*th column of *A* is the  $m \times 1$  matrix:

- The (i,j)th element or entry of A is the element  $a_{ij}$
- We can use the notation  $A = [a_{ij}]$  to denote the matrix with its

### Matrix Addition

- **Definition:** Let  $A = [a_{ij}]$  and  $B = [b_{ij}]$  be  $m \times n$  matrices; the sum of A and B, denoted by A + B, is the  $m \times n$  matrix that has  $a_{ij} + b_{ij}$  as its (i, j)th element, that is  $A + B = [a_{ij} + b_{ij}]$
- Note that matrix addition is only defined for matrices of the same size

#### **■** Example:

$$\begin{bmatrix} 1 & 0 & -1 \\ 2 & 2 & -3 \\ 3 & 4 & 0 \end{bmatrix} + \begin{bmatrix} 3 & 4 & -1 \\ 1 & -3 & 0 \\ -1 & 1 & 2 \end{bmatrix} = \begin{bmatrix} 4 & 4 & -2 \\ 3 & -1 & -3 \\ 2 & 5 & 2 \end{bmatrix}$$

# Scalar Multiplication

■ **Definition:** Let *k* be a scalar and *A* be a matrix; the *product* of a *k* and *A*, denoted by *kA* is a matrix where every element in *A* is multiplied with *k* 

#### ■ Example:

$$2\begin{bmatrix} 1 & 0 & 4 \\ 2 & 1 & 1 \\ 3 & 1 & 0 \\ 0 & 2 & 2 \end{bmatrix} = \begin{bmatrix} 2 & 0 & 8 \\ 4 & 2 & 2 \\ 6 & 2 & 0 \\ 0 & 4 & 4 \end{bmatrix}$$

# Matrix Multiplication

- **Definition:** Let A be an  $m \times k$  matrix and B be a  $k \times n$  matrix; the *product* of A and B, denoted by AB, is the  $m \times n$  matrix that has its (i,j)th element equal to the sum of the products of the corresponding elements from the ith row of A and the jth column of B, that is,  $AB = [c_{ij}]$  where  $c_{ij} = a_{i1}b_{1j} + a_{i2}b_{2j} + \cdots + a_{ik}b_{kj}$
- Note that matrix multiplication is not defined when the number of columns in the first matrix is not the same as the number of rows in the second

#### ■ Example:

$$\begin{bmatrix} 1 & 0 & 4 \\ 2 & 1 & 1 \\ 3 & 1 & 0 \\ 0 & 2 & 2 \end{bmatrix} \begin{bmatrix} 2 & 4 \\ 1 & 1 \\ 3 & 0 \end{bmatrix} = \begin{bmatrix} 14 & 4 \\ 8 & 9 \\ 7 & 13 \\ 8 & 2 \end{bmatrix}$$

# Matrix Multiplication is not Commutative

### **■ Example:** Let

$$A = \begin{bmatrix} 1 & 1 \\ 2 & 1 \end{bmatrix} \qquad B = \begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix}$$

■ Then

$$AB = \begin{bmatrix} 2 & 2 \\ 5 & 3 \end{bmatrix} \qquad BA = \begin{bmatrix} 4 & 3 \\ 3 & 2 \end{bmatrix}$$

so  $AB \neq BA$ 

# The Identity Matrix

■ **Definition:** The *identity matrix of order n* is the  $n \times n$  matrix  $I_n = [\delta_{ii}]$  where

$$\delta_{ij} = \begin{cases} 1 & i = j \\ 0 & i \neq j \end{cases}$$

$$I_n = \begin{bmatrix} 1 & 0 & \dots & 0 \\ 0 & 1 & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & 1 \end{bmatrix}$$

■  $AI_n = I_m A = A$  when A is an  $m \times n$  matrix

## Powers of Matrices

- Powers of matrices can be defined for square matrices
- When A is an  $n \times n$  matrix:

$$A^{0} = I_{n}$$

$$A^{r} = \underbrace{AAA \cdots A}_{r \text{ times}}$$

# Transposes of Matrices

- **Definition:** Let  $A = [a_{ij}]$  be an  $m \times n$  matrix; the transpose of A, denoted by  $A^T$ , is the  $n \times m$  matrix obtained by interchanging the row and columns of A
- If  $A^T = [b_{ij}]$ , then  $b_{ij} = a_{ji}$  for i = 1, 2, ..., n
- **■** Example:

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \qquad A^T = \begin{bmatrix} 1 & 4 \\ 2 & 5 \\ 3 & 6 \end{bmatrix}$$

# Symmetric Matrices

- **Definition:** A square matrix A is called *symmetric* if  $A = A^T$
- $A = [a_{ij}]$  is symmetric if  $a_{ij} = a_{ji}$  for i and j with  $1 \le i \le n$  and  $1 \le j \le n$
- **■** Example:

$$A = A^T = \begin{bmatrix} 1 & 1 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$$

# Inverse of a Matrix

■ **Definition:** If A and B are  $n \times n$  matrices with AB = BA = I, the B is called the *inverse* of A and A is said to be invertible. The notation  $B = A^{-1}$  denotes that B is the inverse of A.

### Vectors

- $\blacksquare$  A position vector represents a point in n dimensional space.
- We will use the convention that a vector is an  $n \times 1$  matrix (a column vector).
- Example: a point in 3D space

$$p = \begin{bmatrix} x \\ y \\ z \end{bmatrix}$$

# The Length of a Vector

■ The length of a vector a, denoted as ||a||, is defined as:

$$||a|| = \sqrt{\sum_{i=1}^n a_i^2}$$

or using matrix multiplication:

$$||a|| = \sqrt{a^T \cdot a}$$

### Vector Dot Product

- The *dot product* of two vectors *a* and *b* is defined as:
  - $\mathbf{a} \cdot b = b \cdot a = \sum_{i} a_{i} b_{i}$
  - $\mathbf{a} \cdot b = a^T b$
  - $\mathbf{a} \cdot b = \|\mathbf{a}\| \|\mathbf{b}\| \cos \theta$
- If  $a \cdot b = 0$ , then a and b are orthogonal